Discrete Mathematics 91 (1991) 329–330
North-Holland

Author index to volume 91 (1991)

Abbott, H.L. and M. Katchalski, Further results on snakes in powers of complete graphs (2) 111–120
Bandelt, H.J. and H.M. Mulder, Metric characterization of parity graphs (3) 221–230
Bialostocki, A., P. Dierker and B. Voxman, Some notes on the Erdős–Szekeres theorem (3) 231–238
Chee, Y.M., Graphical t-designs with block sizes three and four (*Note*) (2) 201–206
Chen, W.Y.C., Maximum (g, f)-factors of a general graph (1) 1– 7
Clivio, A., Tilings of a torus with rectangular boxes (2) 121–139
Cooper, C., Pancyclic Hamilton cycles in random graphs (2) 141–148
Dierker, P., see Bialostocki, A. (3) 231–238
Engel, P., The enumeration of four-dimensional polytopes (1) 9– 31
Eppstein, D., J. Feigenbaum and C.-L. Li, Equipartitions of graphs (3) 239–248
Eswarathasan, A. and E. Levine, p-Integral harmonic sums (3) 249–257
Etzion, T., Hamiltonian decomposition of K_n^*, patterns with distinct differences, and Tuscan squares (3) 259–276
Faudree, R.J., R.J. Gould and L.M. Lesniak, Neighborhood conditions and edge-disjoint perfect matchings (1) 33– 43
Faudree, R.J., M.S. Jacobson, L. Kinch and J. Lehel, Irregularity strength of dense graphs (1) 45– 59
Favaron, O., M.C. Heydemann, J.C. Meyer and D. Sotteau, A parameter linked with G-factors and the binding number (*Note*) (3) 311–316
Feigenbaum, J., see Eppstein, D. (3) 239–248
Fishburn, P.C., J.C. Lagarias, J.A. Reeds and L.A. Shepp, Sets uniquely determined by projections on axes II Discrete case (2) 149–159
Goddard, W., Acyclic colorings of planar graphs (*Note*) (1) 91– 94
Gould, R.J., see Faudree, R.J. (1) 33– 43
Gupta, S., see Mukerjee, R. (1) 105–108
Heydemann, M.C., see Favaron, O. (3) 311–316
Horák, P., Extending partial systems of distinct representatives (*Note*) (1) 95– 98
Hwang, S.G., The monotonicity of the permanent function (*Note*) (1) 99–104
Jacobson, M.S., see Faudree, R.J. (1) 45– 59
Katchalski, M., see Abbott, H.L. (2) 111–120
Kinch, L., see Faudree, R.J. (1) 45– 59
Lagarias, J.C., see Fishburn, P.C. (2) 149–159
Lehel, J., see Faudree, R.J. (1) 45– 59
Lesniak, L.M., see Faudree, R.J. (1) 33– 43
Levine, E., see Eswarathasan, A. (3) 249–257
Li, Chung-Lun, see Eppstein, D. (3) 239–248
Lorenzini, D.J., A finite group attached to the laplacian of a graph (3) 277–282
Łuczak, T., Size and connectivity of the k-core of a random graph (1) 61– 68
McMullen, P., Regular polyhedra related to projective linear groups (2) 161–170
Meyer, J.C., see Favaron, O. (3) 311–316
Mukerjee, R. and S. Gupta, Geometric construction of balanced block designs with nested rows and columns (*Note*) (1) 105–108
Mulder, H.M., see Bandelt, H.J. (3) 221–230
Mynhardt, C.M., Lower Ramsey numbers for graphs (1) 69– 75

Nilli, A., On the second eigenvalue of a graph (*Note*) (2) 207–210
Oxley, J.G., Ternary paving matroids (1) 77– 86
Quilliot, A., Une condition pour qu'une famille de triangles soit orientable en un ordre cyclique (2) 171–182
Redish, K.A. and W.F. Smyth, Closed form expressions for the iterated floor function (*Note*) (3) 317–321
Reeds, J.A., see Fishburn, P.C. (2) 149–159
Reid, T.J., A note on roundedness in 4-connected matroids (*Note*) (2) 211–214
Saito, A., One-factors and k-factors (*Note*) (3) 323–326
Schindler, C., Constructible hypergraphs (2) 183–191
Schwärzler, W., Being Hamiltonian is not a Tutte invariant (*Communication*) (1) 87– 89
Shepp, L.A., see Fishburn, P.C. (2) 149–159
Sidorenko, A.F., Triangle-free regular graphs (*Note*) (2) 215–217
Smyth, W.F., see Redish, K.A. (3) 317–321
Snover, S.L., C. Waiveris and J.K. Williams, Rep-tiling for triangles (2) 193–200
Sotteau, D., see Favaron, O. (3) 311–316
Voxman, B., see Bialostocki, A. (3) 231–238
Wachs, M.L., The major index polynomial for conjugacy classes of permutations (3) 283–293
Waiveris, C., see Snover, S.L. (2) 193–200
Williams, J.K., see Snover, S.L. (2) 193–200
Yu, X., On neighbourhood line graphs (3) 295–309